


SISTEMI PER PAVIMENTI


Hard ROC + ROC (Sistema a 2 strati)



Hard ROC + ROC (Sistema a 2 strati)

1. PrimerQuarz (0,2 kg/m²)
2. Rete da 160 g + MicroQuarz® Hard ROC (2,4 kg/m²) + Toner
3. MicroQuarz® ROC (1,8 kg/m²) + Toner
4. PrimerFinish (0,1 kg/m²)
5. Finish W TRP RADIANT (applicato a spatola) (0,17 kg/m²)
(consumo per due strati).

Hard BASE + ROC + ROC (Sistema a 3 strati)




Hard BASE + ROC + ROC (Sistema a 3 strati)

1. PrimerQuarz (0,2 kg/m²)
2. Rete da 80 g + MicroQuarz® Hard BASE (1,6 kg/m²)
3. 1° strato MicroQuarz® ROC: (1,4 kg/m²) + Toner
4. 2° strato MicroQuarz® ROC: (1,1 kg/m²) + Toner
5. PrimerFinish (0,1 kg/m²)
6. Finish W TRP RADIANT (applicato a spatola) (0,17 kg/m²)
(consumo per due strati).

SISTEMI PER PARETI


SUPPORTO CARTONGESSO



SUPPORTO CARTONGESSO

1. Primer AC ($0,2 \text{ Kg/m}^2$)
2. 1ª capa MicroQuarz® ROC: ($1,4 \text{ Kg/m}^2$) + Toner
3. 2ª capa MicroQuarz® ROC: ($1,1 \text{ Kg/m}^2$) + Toner
4. PrimerFinish ($0,1 \text{ Kg/m}^2$)
5. Finish W TRP (aplicado a rodillo) ($0,14 \text{ Kg/m}^2$) (consumo para dos capas).

SUPPORTO INTONACO O PIASTRELLA



SUPPORTO INTONACO

1. PrimerQuarz ($0,2 \text{ Kg/m}^2$)
2. Malla de 80gr + MicroQuarz® Base (1 kg/m^2)
3. 1ª capa MicroQuarz® ROC ($1,4 \text{ Kg/m}^2$) + Toner
4. 2ª capa MicroQuarz® ROC ($1,1 \text{ Kg/m}^2$) + Toner
5. PrimerFinish ($0,1 \text{ Kg/m}^2$)
6. Finish W TRP (aplicado a rodillo) ($0,14 \text{ Kg/m}^2$) (consumo para dos capas).